
Delta

CAT.F

Information



100% Recyclable.
100% Non toxic (EU and USA standard).
Anti-allergic.
Resistant to fungus, bacteria, sunlight, humidity, chlorine, food stains and sweat.
Compatible with delicate baby skin.
Eco-friendly (low energy for cleaning, long lasting life cycle, easy to use).

typology	**Outdoor fabric**
category	**F**
composition	**80% PP - 20% PL**
height	**cm 140**
weight	**814 gr/mtl**
martindale	**80.000**
pilling	**4/5**
light fastness	**7/8**
fire resistance	**TB117-2013 / CIGARETTE BS5852.1.1979**

washing information



Legenda

- Hand wash. Delicate wash. Maximum temperature: 30°/40°. Use neutral soap without optical whiteners.
- Wash at a maximum temperature of 30°, using a gentle cycle. Pay attention to the maximum degrees indicated, they can range from 30° to 95 °.
- Wash at a maximum temperature of 60°, using a gentle cycle.
- Dry clean only. Do not wash in water. Treat with care when damp.
- Dry clean with tetrachloroethylene, monofluorotrichloromethane, trifluorochloroethane, hydrocarbons. Severely limit the amount of water added and/or the mechanical action and washing and drying temperatures. Do not dry clean at automatic coin-operated laundry facilities.
- Dry clean with perchlorethylene
- Do not dry clean.
- Dry cleaning with hydrocarbons and trifluoro-trichloroethane.
- Wet-cleaning.
- Do not tumble dry.
- Tumble dry.
- Dry at low temperatures.
- Do not centrifugate.
- Iron at low temperature without steam (max 110°C).
- Ironing at moderate temperature (max 150°C).
- Iron on reverse.
- Do not iron.
- Do not use chlorine bleach.

CO	Cotton
LI	Linen
NY	Nylon
PA	Polyamide
PAN	Polyacrylic
PC	Acrylic
PES	Polyethersulfone
PL	Polyester
PP	Polypropylene
PU	Polyurethane
SE	Silk
VI	Viscose
WO	Wool
WV	virgin wool


Delta

CAT.F

Variants



R692 col.015 R691 col.02/1 R698 col.80/1



R693 col.01/1 R694 col.03



R695 col.03/1 R696 col.02/3 R697 col.15/1



R699 col.01/6 R700 col.80



R720 col.01/5 R721 col.90 R722 col.01

Delta

CAT.F

Variants



R723 col.02

R724 col.45



R725 col.45/1

R726 col.01/3

R727 col.01/4