
Pentagramma

mdf italia

05.2024

Istruzioni di montaggio
Assembly Instructions
Montageanleitungen
Instructions de montage
Instrucciones de montaje



Design by Pitsou Kedem

M920198-0035-B

Pentagramma

Kit ferramenta
Hardware kit
Hardware-kit
Kit de matériel
Kit de hardware

A



B




C




Attention: stoppers / dowels / screws must be bought separately, according to the wall type.

Pentagramma




Screw the brackets on the wall.



Pentagramma


3




Insert the wall panel in the brackets.

If purchased, assemble the LED bars before proceeding with the wall mounting of the panels. See "LED Pentagramma" section for details.


4



Set the angle with the adjustable wall pin.




To pair two or more panels, use intermediate caps.




1: Make sure to have correctly inserted the intermediate cap.
2: Insert the wall panel in the wall brackets, as per step 3.

Pentagramma




Set the distance between the two panels.




Insert end caps.

Pentagramma




Adjust the screw from the top to set the height.

10




Minimum distance between panels.

11



Place shelves and open compartments.


Pentagramma




Set the distance between hanging shelves.

Pentagramma Led

1







Insert 3 led bar clips.

Pentagramma Led


2






Insert the led bar.

Pentagramma Led




Position driver and controller with double-sided tape.




A: Connect the controller to the driver B: Connect the driver to 220V

Pentagramma Led



Cable exit position, front view of the panel.

Pentagramma Led



1. Turn on the system and press “SET” one time
2. Press briefly “ON” button 3 times within 3 seconds when the light is on
3. If the light flashes slowly for 3 times, the matching has been done correctly

To match multiple LEDs on a single controller, repeat the process with the different LEDs, disconnect the other LEDs before starting a new match.

The connection has failed if the controller light doesn’t flash slowly, follow again the steps.
(Once a led light is matched, it can’t match again without unmatching it)

For further information, scan the QR code.

Pentagramma

For cleaning and maintenance, please see the information on the website www.mdfitalia.it

ISO 14001
BUREAU VERITAS
Certification